



PUNJAB POLLUTION CONTROL BOARD

ZONAL OFFICE JALANDHAR

Website:- www.ppcb.gov.in

Office Dispatch No : 1748

Registered/Speed Post

Date: 15/3/17

Industry Registration ID: 012KPR70363

Application No : 5094264

To,

Romesh Chander Mittal
Lovely International Trust, Lovely Mall, Dr. Ambedkar Chowk, Jalandhar City, Punjab
Jalandhar, Jalandhar-144001

Subject: Renewal of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining Renewal of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Renewal/KPR/2017/5094264
Date of issue :	15/03/2017
Date of expiry :	31/03/2022
Certificate Type :	Renewal
Previous CTO No. & Validity :	013KPRCTOA168287 From: 18/03/2013 To: 31/03/2017

2. Particulars of the Industry

Name & Designation of the Applicant	Romesh Chander Mittal, (Chairman)
Address of Industrial premises	Lovely international trust, Lovely international trust, lit campus, jalandhar-delhi g.t.road, phagwara, distt. kapurthala, Phagwara, Kapurthala-144411
Capital Investment of the Industry	99184.0 lakhs
Category of Industry	Orange
Type of Industry	Other
Scale of the Industry	Large
Office District	Kapurthala
Consent Fee Details	
Raw Materials (Name with Quantity per day)	
Products (Name with Quantity per day)	Educational Institute.
By-products, if any, (Name with Quantity per day)	
Details of the machinery and process	As per project report

"This is computer generated document from OCMMS by PPCB"

Lovely international trust, Lovely international trust, lit campus, jalandhar-delhi g.t.road, phagwara, distt. kapurthala, Phagwara, Kapurthala, 144411

Page 1

Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	
Type of Air Pollution Control Devices to be installed	
Stack height provided with each boiler/thermo heater/Furnace etc.	
Sources of emissions and type of pollutants	<p>D. G sets 30 Nos.</p> <p>1 No.</p> <p>4 Nos. 250 KVA (each)</p> <p>125 KVA</p> <p>500 KVA (each) Diesel @80 ltr/day (each)</p> <p>Diesel @ 64ltr/day</p> <p>Diesel @120 ltr/day (each) 3.5 mtr</p> <p>3.5 mtr</p> <p>6 mtr -</p> <p>-</p> <p>- Adequate</p> <p>Adequate</p> <p>Adequate With canopy</p> <p>With canopy</p> <p>With canopy</p>
Standards to be achieved under Air(Prevention & Control of Pollution) Act, 1981	As prescribed by the board.



(Signature)
 Er. Shiv Kumar
 For & on behalf

of
 (Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:
 EERO Jalandhar

(Signature)
 Er. Shiv Kumar
 For & on behalf

of
 (Punjab Pollution Control Board)